

SUPPLEMENT TO

The Gazette of India



सत्यमेव जयते

No. 38]

NEW DELHI, SATURDAY, OCTOBER 13, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th September, 1956

CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
STATES PART (A), & PART (C)								Assam—contd.															
Ajmer								(Estd. mid-year pop. 9,817 thousands).															
TOTAL	1	1	Total for w/c 8-9-56						
(Estd. mid-year pop. 752 thousands).								Total for w/c 1-9-56	17	3						
Total for w/c 8-9-56	7-yearly mean for the week	5	3						
Total for w/c 1-9-56																
7-yearly mean for the week																
Andhra								Bhopal															
TOTAL	1	TOTAL	1						
(Estd. mid-year pop. 867 thousands).								(Estd. mid-year pop. 867 thousands).															
Srikakulam	1	1	Total for w/c 8-9-56	2						
Visakhapatnam	7	3	Total for w/c 1-9-56	4	3						
Godavari East	5	7-yearly mean for the week						
Godavari West	2	1	5	2																
Krishna	13	5	17	3																
Guntur	35	5																
Nellore	5	2																
Kurnool	14	7																
Cuddapah	5	1																
Anantapur	13																
Chittoor	1																
TOTAL	15	6	98	24																
(Estd. mid-year pop. 21,238 thousands).																							
Total for w/c 8-9-56	21	8	96	22																
Total for w/c 1-9-56	15	7	135	20																
7-yearly mean for the week	268	127	55	9																
Assam								Bihar															
Kamrup	1	Patna	85	22	3						
Nowgong	31	7	Gaya	26	15	5	3						
TOTAL	31	7	1	Shahabad	29	11	4						
								Saran	9						
								Bhagalpur	9	2						
								Santal Parganas	32	14						
								TOTAL	190	64	12	3						
								(Estd. mid year pop. 42,198 thousands.)															
								Total for w/c 8-9-56	174	61	1	1						
								Total for w/c 1-9-56	232	86	8						
								7-yearly mean for the week	247	105	21	6						

Explanation of Symbols used C.—Cases; D.—Deaths; ..—Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th September, 1956—*contd.*

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Bombay								Madhya Pradesh							
Satara South	1	" N. R. "							
Ahmednagar	5	2	Madras							
East Khandesh	10	5	Madras	13	2
West Khandesh	9	3	2	Chingleput	8	4
Poona	4	1	North Arcot	2
Sholapur	1	1	2	1	Salem	6	1
Belgaum	2	Coimbatore	1
Bijapur	2	South Arcot	70	40
Baroda	1	Tanjore	2
TOTAL	31	12	7	2	Tiruchirappalli	6	2
(Estd. mid-year pop. 39,569 thousands.)								Mathurai	7	2
Total for w/c 8-9-56	48	8	15	3	Ramanathapuram	10
Total for w/c 1-9-56	89	8	12	3	Tirunelveli	1
7-yearly mean for the week	78	29	49	6	Malabar	15	3
Coorg								TOTAL	141	54
TOTAL	(Estd. mid-year pop. 38,273 thousands.)							
(Estd. mid-year pop. 262 thousands.)								Total for w/c 8-9-56	106	21
Total for w/c 8-9-56	Total for w/c 1-9-56	92	28
Total for w/c 1-9-56	7-yearly mean for the week	380	160	59	15
7-yearly mean for the week	Manipur							
Delhi								Total
TOTAL	(Estd. mid-year pop. 613 thousands.)							
(Census pop. 1,744 thousands.)								Total for w/c 8-9-56
Total for w/c 8-9-56	Total for w/c 1-9-56
Total for w/c 1-9-56	3	Orissa							
7-yearly mean for the week	Cuttack	160	67	4	1
Himachal Pradesh								Balasore	2	1
TOTAL	Puri	3	1
(Estd. mid-year pop. 1,003 thousands.)								Sambalpur	3	3	2
Total for w/c 8-9-56	Ganjam	26	20
Total for w/c 1-9-56	Koraput	2	1

Explanation of Symbols used:— C.—Cases ; D.—Deaths ; ..=Nil.; "N.R."—Information not received

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th September, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Orissa—contd.							Uttar Pradesh—contd.						
Dhenkanal	5	3	(Estd. mid-year pop. 66,780 thousands)						
Bolangir Patna	8							
TOTAL	199	95	16	2	Total for w/e 8-9-56	23	9	5	2
(Estd. mid-year pop. 15,114 thousands.)							Total for w/e 1-9-56	21	10	15	4
Total for w/e 8-9-56	146	88	11	7-yearly mean for the week	101	59	10	1	4	3
Total for w/e 1-9-56	239	143	8							
7-yearly mean for the week	20	12	35	8	Vindhya Pradesh						
							"N.R."						
Punjab (I)							West Bengal						
Ferozepur	3	Burdwan	4	1
TOTAL	3	Bankura	5	2	4	2
(Census pop. 12,641 thousands.)							Midnapur	1
Total for w/e 8-9-56	2	Hooghly	2	1	1
Total for w/e 1-9-56	1	Howrah	7	..	1	1
7-yearly mean for the week	2	1	24-Pargana	8	4	13	4
							Calcutta	9	4	8	7
Pondicherry							Nadia	1
TOTAL	41	20	Murshidabad	47	22	1
							Majda	4	1
Tripura							Cooch Behar	2	..	1
TOTAL	TOTAL	83	34	33	16
(Estd. mid-year pop. 706 thousands.)							(Estd. mid-year pop. 26,396 thousands.)						
Total for w/e 8-9-56	Total for w/e 8-9-56	96	52	38	18
Total for w/e 1-9-56	3	2	1	1	Total for w/e 1-9-56	137	75	37	16
							7-yearly mean for the week	57	24	14	7
Uttar Pradesh													
Bareilly	7	3							
Kanpur	2							
Gorakhpur	3	2							
Kheri	1	1							
Lucknow	7	4							
TOTAL	17	9	3	1							

Explanation of symbols used : C= Cases ; D= Deaths; .. = Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th September, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.	C.	D.
Grand Total for States							Mysore—contd.						
Parts (A) & (C)													
(Excluding Madhya Pradesh and Vindhya Pradesh)													
566 227 356 124							Mandya 5 1 /						
							Kolar 4						
							TOTAL 10 1 1 ..						
Corresponding (Estd. mid-year pop. 277,973 thousands.)*							Patiala and East Punjab States Union						
Corresponding total for w/e 8-9-56							TOTAL						
508 226 312 93							Rajasthan						
Corresponding total for w/e 1-9-56							"N. R."						
736 331 375 89							Saurashtra						
Corresponding 7-yearly mean for the week							TOTAL						
1,156 519 245 53 4 3							Travancore-Cochin						
STATES PART (B)							TOTAL 9 9						
Hyderabad							Grand Total for States Part (B)						
Aurangabad 88 33							218 81 22 13 1 ..						
Parbhani 47 20							Grand Total for States Parts (A), (B) and (C)						
Bhir 25 12							784 308 378 137 1 ..						
Bidar 20 4							ARREAR INFORMATION						
Nalgonda 11 4 1 2							Madhya Pradesh						
Hyderabad 2 1 .. .							For w/e 8-9-56						
Nandad 27 8							Chanda 1 .. 3						
TOTAL 218 81 3 3							Chhindwara 5 1						
Jammu and Kashmir							Mandla 17 8 18 1						
"N. R."							Raipur 1						
Madhya Bharat							Bilaspur 3 1						
TOTAL							Durg 14 7 8 2						
Mysore							Bhandara 7 1						
Bangalore 1 ..							Balaghat 24						
Bellary 1													

Explanation of symbols used : C. = Cases ; D. = Deaths ; .. = Nil. ; "N.R." = Information not received.

*Excluding Pondicherry.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15 September, 1956—*concl'd.*

CHOLERA								SMALLPOX								PLAGUE							
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
Madhya Pradesh—contd.								Pondicherry															
For w/e 8-2-56—contd.								For w/e 8-9-56															
Akola	11	3	TOTAL	36	26							
Buldana	.	.	1	1	5	1															
Raigarh	.	.	1															
TOTAL	.	44	18	75	8		TOTAL	3	2							
								Madhya Bharat															
								For w/e 8-9-56															

Explanation of symbols used : C.—Cases ; D.—Deaths; ..=Nil.

NEW DELHI-2 (INDIA);

The 8th October, 1956

K. MITRA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956

Town	Mid.-year Popn.-Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES—(Parts A and C)															
Ajmer															
Ajmer	.	.	223	61	14.2	10	1	1	..	20	4.7	2
Beawar	.	.	39	22	19.4	..	1	..	7	1	5	2	24	21.2	7
TOTAL	.	.	282	83	15.3	..	1	..	17	2	6	2	44	8.1	9
Andhra															
Adoni	.	.	63	48	39.6	2	4	..	18	14.9	5
Anantpur†															
Anakapalli †															
Bhimavaram	.	.	36	48	69.3	1	14	20.2	1
Chirala	.	.	43	31	37.5	7	1	15	18.1	1
Chittoor	.	.	45	35	40.4	2	7	8.1	2
Cuddapah†															
Eluru	.	.	99	47	24.7	..	1	..	10	..	.	1	34	17.9	6
Gudivada	.	.	36	15	21.7	6	13	18.8	2
Guntur	.	.	147	252	89.2	3	7	5	..	74	26.2	22
Guntakal	.	.	37	23	32.3	4	2	1	..	15	21.1	1
Kakinada	.	.	113	49	22.5	3	1	1	..	31	14.3	13
Kurnool	.	.	68	88	67.3	3	7	4	1	35	26.8	7
Masulipatnam	.	.	88	107	63.2	7	5	2	1	47	27.8	7
Nandyal	.	.	37	37	52.0	..	1	..	2	2	1	2	18	25.3	6
Nellore	.	.	95	106	58.0	4	6	2	..	41	22.4	9
Proddatur†															
Rajahmundry	.	.	122	70	29.8	10	1	1	..	37	15.8	5
Tenali	.	.	67	65	50.4	1	2	..	21	16.3	9
Vijayvada	.	.	201	150	38.9	12	8	2	1	46	11.9	19
Visakhapatnam	.	.	128	65	26.4	..	3	..	9	4	11	..	51	20.7	19
Vizianagaram	.	.	75	50	34.7	3	4	2	1	31	21.5	6
TOTAL	.	.	1,500	1,286	44.6	..	5	..	85	51	38	8	548	19.0	140
Assam															
Shillong†															
Gauhati	.	.	51	14	14.3	5	1	12	12.2	2
Dibrugarh	.	.	46	8	9.0	2	2.2	..
Silchar	.	.	43	14	16.9	1	5	6.0	1
TOTAL	.	.	140	36	13.4	6	1	19	7.1	3
Bhopal															
Bhopal	.	.	116	44	19.7	1	..	1	..	5	2.2	
Bihar															
Arrah	.	.	70	6	4.5	3	1	2	..	7	5.2	
Bihar	.	.	68	44	33.6	2	1	8	6.1	
Bettiah†															
Bhagalpur	.	.	126	45	18.6	1	9	30	12.4	..
Chapra	.	.	69	46	34.7	2	..	5	10	7.5	
Darbhanga	.	.	93	22	12.3	2	10	5.6	..
Dhanbad	.	.	41	11	14.0	4	5.1	..
Dinapur	.	.	44	45	2	2	6	7.1	..
Gaya	.	.	149	96	33.5	19	3	5	1	50	17.5	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956—*contd.*

Deaths from:—

Town	Mid year Popn.Est. (ooo)	B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bihar—<i>contd.</i>													
Hazaribagh	39	24	32.0	11	14.7	8
Jamalpur	47	13	14.4	2	2	2.2	..
Jamshedpur	246	139	29.4	10	..	2	..	27	5.7	5
Katihar	51	5	5.1	2	6	6.1	4
Monghyr	80	19	12.4	1	..	1	..	7	4.6	..
Muzaffarpur	84	35	21.7	5	28	17.3	..
Patna†													
Purulia	47	10	11.1	1	1	3	3.3	..
Ranchi	130	13	5.2	3	7	..	2
TOTAL	1,384	573	21.5	1	61	7	10	9	216	8.1	19
Bombay													
Ahmedabad	889	943	55.2	20	16	64	..	347	20.3	113
Ahmednagar	88	126	74.5	1	..	4	..	30	17.7	8
Amalner	50	28	29.1	6	..	3	..	14	14.6	1
Bagalkot	36	38	54.9	2	..	3	..	12	17.3	4
Baroda	242	238	51.1	13	5	8	2	65	14.0	19
Barsi	46	49	55.4	3	12	13.6	1
Belgaum	110	63	29.8	3	1	6	—	36	17.0	5
Bhusawal	62	44	36.9	5	..	1	..	11	9.2	..
Bijapur	75	77	53.4	4	2	3	..	15	10.4	2
Broach	67	77	59.7	4	..	3	..	15	11.6	2
Cambay	41	63	79.9	1	—	20	25.4	2
Chalisgaon	35	18	26.7	5	..	1	..	9	13.4	3
Dharwar	76	43	29.4	—	10	6.8	..
Dhulia	89	75	43.8	6	1	14	8.2	2
Gadag-Betegeri	71	55	40.3	7	2	6	1	32	23.4	6
Godra	40	47	61.1	4	—	1	..	7	9.1	3
Greater Bombay	3,449	1,677	25.3	37	135	4	637	9.6	188
Hubli	148	66	23.2	1	12	4.2	1
Jalgaon	79	35	23.0	7	1	1	..	16	10.5	3
Kalyan	73	28	19.9	2	2	1	..	11	7.8	..
Kolhapur	159	135	44.2	2	4	11	..	39	12.8	6
Malegaon	63	48	39.6	5	2	1	..	8	6.6	1
Miraj	44	31	36.6	1	..	—	..	11	13.0	1
Nadiad	71	96	70.3	11	..	1	..	20	14.6	6
Nandurbar	35	19	28.2	1	..	2	..	8	11.9	2
Nasik	119	121	52.9	1	..	7	..	30	13.1	16
Navasari	50	42	43.7	6	15	15.6	4
Pandharpur	44	36	42.5	3	7	8	..	32	37.8	14
Patan	47	54	59.7	2	2	1	..	10	11.1	4
Poona	607	385	33.0	2	3	25	..	115	9.8	29
Sangli†													
Satara	40	41	53.3	3	..	2	..	17	22.1	1
Sholapur	299	339	59.0	15	12	45	..	151	26.3	29
Surat	250	194	40.4	9	2	11	2	91	18.9	31
Thana	61	35	29.8	..	1	..	2	1	19	16.2	4
TOTAL	7,655	5,366	36.5	..	1	..	156	100	354	10	1,891	12.8	511

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D. R.=Death Rates; I. D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Delhi State														
Delhi City	1,124	756	34.8	99	15	36	3	244	11.3	81	
New Delhi	374	236	32.8	5	8	2	..	70	9.7	15	
N.A.C. Civil Station, Delhi	117	122	54.2	2	4	5	1	29	12.9	12	
Delhi Cantt.	50	25	26.0	1	4	4.2	..	
Delhi-Shahadara	53	65	63.8	4	8	7.8	3	
TOTAL	1,718	1,204	36.4	111	27	43	4	355	10.7	111	
Madhya Pradesh														
"N.R."														
Madras														
Ambur	44	34	40.2	1	2	1	..	12	14.2	1	
Aruppukottai	56	42	39.0	3	4	3	..	19	17.6	5	
Bodinayakanpur	40	31	40.3	1	..	3	3.9	..	
Cannanore	47	31	34.9	1	3	..	17	19.1	1	
Chidambaram	39	32	42.7	1	1	..	14	18.7	3	
Coimbatore	234	267	59.3	1	13	11	3	104	23.1	24	
Cuddalore	74	59	41.5	2	3	7	1	25	17.6	5	
Dindigul	90	62	35.5	2	5	3	..	19	11.0	3	
Erode	67	58	45.0	2	4	1	21	16.3	6	
Gobichetty Palayan	38	14	19.1	1	5	6.8	..	
Guddiyattam	53	54	53.0	1	..	4	..	14	13.7	2	
Kancheepuram	90	94	54.3	4	14	2	44	25.4	9	
Karaikudi	44	17	20.0	2	..	1	..	9	10.6	..	
Karur	50	21	21.8	1	1	7	7.3	1	
Kozhikode	176	112	33.1	11	3	6	..	89	26.3	25	
Kumbakonam	105	64	31.7	1	2	3	..	27	13.3	6	
Madras	1,703	1,526	46.6	..	3	..	48	131	163	4	669	20.4	192	
Mangalore	136	99	37.9	2	1	2	..	26	9.9	2	
Mathurai	427	327	39.8	17	47	4	159	19.4	45	
Mayuram	49	43	45.6	1	1	1	15	15.9	2	
Malapallyam	41	16	20.8	2	5	1	..	12	15.6	4	
Nagapattinam	60	42	35.8	1	1	1	2	20	17.0	3	
Ootacamund	48	48	52.0	3	..	10	10.8	3	
Palni	40	48	62.4	2	5	..	12	15.6	2	
Palayamkottal	45	54	62.4	3	3	3	2	21	24.3	5	
Palghat	77	58	39.2	2	4	..	25	16.9	4	
Periyakulam	34	28	42.8	1	2	2	..	7	10.7	..	
Pollachi	51	40	40.8	3	2	..	21	21.4	10	
Pudukottai	50	37	38.5	2	1	1	..	13	13.5	2	
Rajapalayam	69	41	30.9	2	4	2	..	14	10.6	..	
Salem†	42	32	39.6	1	4	5.0	2	
Srirangam	
Srivilliputtur†	
Tanjore	118	100	44.0	..	1	..	3	1	5	1	40	17.6	3	
Tellicherry	42	37	45.8	1	3	1	15	18.6	..	
Tiruvannamalai	45	27	31.2	1	3	1	16	18.5	2	
Tirunelveli	80	61	39.7	4	4	..	26	16.9	6	
Tiruppur	63	43	35.5	3	4	..	13	10.7	2	
Tiruchirappalli	251	109	22.6	1	1	11	..	54	11.1	11	
Tuticorin	111	78	36.5	..	2	..	8	9	17	1	72	33.7	23	
Vaniyambadi	43	19	23.0	3	4	2	..	14	16.9	4	
Vellore	124	145	60.8	3	..	11	..	46	19.3	9	
Villupuram	39	42	56.0	..	3	..	1	3	3	..	16	21.3	4	
Virudunagar	53	40	39.2	1	6	5.9	1	
TOTAL	5,088	4,132	42.2	..	9	..	105	243	362	25	1,775	18.1	431	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used : —B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from:—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Orissa														
Berhampur	72	30	21.7	3	4	17	12.3	3	
Cuttack	117	131	58.4	11	12	8	..	64	28.5	6	
Puri	53	34	33.5	8	4	2	..	30	29.5	10	
TOTAL	242	195	41.9	22	20	10	..	111	23.9	19	
Pondicherry														
Pondicherry	68	75	57.4	..	2	..	6	5	3	1	46	35.2	25	
Punjab (I)														
Ambala	65	78	62.4	1	4	3	..	18	14.4	4	
Amritsar	343	281	42.7	2	10	40	..	99	15.0	35	
Batala	62	34	28.5	6	6	2	..	17	14.1	6	
Bhiwani	57	66	60.4	8	4	3	..	24	22.0	11	
Ferozepore	45	28	32.3	2	4	1	..	19	22.0	4	
Hissar	39	43	57.3	8	1	1	..	10	13.4	3	
Hoshiarpur	51	34	34.8	10	10.3	4	
Jullundur	200	203	53.1	18	8	7	..	42	11.0	10	
Karnal	72	68	49.4	4	..	2	..	13	9.4	..	
Ludhiana	176	174	51.7	22	1	39	11.6	11	
Moga	41	43	54.4	2	6	7.5	3	
Panipat	64	39	31.7	1	..	1	..	8	6.5	2	
Pathankot	34	17	26.0	2	..	1	..	5	7.7	1	
Rewari	36	31	45.0	3	1	1	..	6	8.7	2	
Rohtak	105	82	40.7	9	1	1	..	17	8.5	5	
Simla	50	51	53.3	1	7	7.3	4	
Sonipat	34	32	49.1	8	8	12.3	1	
TOTAL	1,474	1,304	46.0	97	39	63	1	348	12.3	109	
Uttar Pradesh														
Agra	375	300	41.6	2	7	43	..	92	12.8	33	
Allahabad	349	201	30.0	2	32	1	60	9.0	17	
Amroha	61	56	48.0	1	1	6	1	14	12.0	4	
Bahraich	47	34	37.6	5	..	2	..	11	12.2	3	
Banaras	383	308	42.0	49	9	16	..	167	22.8	43	
Ballia	35	15	22.4	2	1	4	6.0	1	
Banda	32	18	29.1	1	..	2	..	9	14.7	4	
Bareilly	203	83	21.4	8	4	5	1	24	6.2	10	
Bijnor	32	15	24.3	4	1	2	..	9	13.6	1	
Budaun	54	40	38.7	5	..	3	..	13	14.5	4	
Basti†														
Bulandshahr†														
Chandauli	41	60	76.1	4	2	..	9	11.4	4	
Dehra Dun	146	60	21.5	3	2	2	..	18	6.4	3	
Etawah†														
Faizabad-Ayodhya	88	33	19.6	3	1	2	..	9	5.3	5	
Farrukhabad-Fatehgarh	82	76	48.4	9	3	2	..	23	14.7	6	
Ferozabad	79	46	30.4	9	2	17	11.2	6	
Ghaziabad†														
Ghaziipur	36	23	33.4	2	4	13	18.9	1	
Gorakhpur	140	75	28.0	4	3	3	..	17	6.3	5	
Gonda	35	10	14.9	1	..	3	4.5	1	
Hapur	49	52	55.5	12	6	3	..	27	30.9	11	
Hardwar	64	50	40.8	9	3	2	..	25	20.4	9	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh— <i>contd.</i>														
Hathras . . .	62	61	51.4	15	4	2	1	26	21.9	8	
Jaunpur . . .	56	26	24.3	2	..	3	..	9	8.4	2	
Jhansi . . .	116	125	56.3	19	2	39	17.6	15	
Kanpur . . .	734	517	36.8	139	22	45	6	369	26.3	84	
Kaiganj . . .	34	10	15.4	2	3	4.6	2	
Khurja . . .	41	30	38.2	4	3	1	..	12	15.3	3	
Koil-Allgarh . . .	150	68	23.7	7	10	2	..	34	11.8	11	
Lucknow . . .	494	406	43.0	1	22	4	11	1	111	11.7	28	
Mathura . . .	110	124	58.9	17	4	3	..	32	15.2	10	
Mau-Nath Bhanjan†														
Meerut . . .	185	148	41.8	9	1	6	1	27	7.6	9	
Mirzapur Vindhyachal	97	68	36.6	8	2	2	..	21	11.3	8	
Moradabad . . .	164	108	34.4	9	4	4	1	35	11.1	11	
Muzaffarnagar . . .	74	41	29.0	8	1	1	..	19	13.4	3	
Pilibhit . . .	45	37	43.0	11	2	3	..	19	22.1	7	
Rampur†														
Saharanpur . . .	162	127	41.0	32	2	5	..	57	18.4	21	
Sambhal . . .	65	67	53.6	9	6	2	..	22	17.4	6	
Shahjahanpur . . .	99	59	24.2	16	2	1	..	22	9.0	5	
Sitapur . . .	49	32	34.0	1	..	1	..	4	4.5	1	
TOTAL . . .	5,068	3,609	37.0	458	122	220	13	1,429	14.7	407	

West Bengal

"N.R."

STATES—(Part B)

Hyderabad														
Aurangabad . . .	73	8	5.7	6	1	7	5.0
Bidar†														
Gulberga . . .	90	68	39.3	5	..	1	1	10	5.8
Hyderabad City . . .	1057	403	19.8	..	3	..	31	4	7	..	104	5.1	10	..
Jalna†														
Kothagudiam†														
Latur . . .	41	1	1.2	2	2.5	2	..
Nanded . . .	80	29	18.9	2	9	5.9
Nizambad . . .	67	13	10.1	3	..	3	..	6	4.7
Parbhani . . .	40	6	7.8	3	..	4	..	8	10.4	1	..
Raichur†														
Secundrabad City . . .	162	134	43.0	3	5	8	..	53	17.0	11	..
Warangal . . .	155	28	9.4	7	13	4.4
TOTAL . . .	1,765	690	20.3	..	3	..	54	9	29	2	212	6.2	24	..

Jammu & Kashmir

"N.R."

Madhya Bharat

"N.R."

Mysore

Chitaldrug	.	31	10	16.8	3	5.0	..
Bhadravati†													
Bangalore	.	977	495	26.3	7	66	112	..	323	17.2	..
Mysore	.	294	162	28.7	2	3	0.5	..
Kolar Gold Field	.	173	45	13.5	2	2	1	1	10	3.0	..
Billary		78	32	21.3	2	13	8.7	..
Davangere†													
Hospet	.	45	15	17.3	1	..	7	8.1	..
Shimoga	.	57	43	39.2	21	3	1	..	29	26.5	..
TOTAL		1,655	802	25.2	34	71	115	1	388	12.2	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.
† Figures not available.
Explanation of symbols used :—B.=Births ; B. R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D. D.=Dysentery and Diarrhoea ; R. D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information ; "N. R." =Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956—*contd.*

Deaths from :—

Towns	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
PEPSU													
Patiala City . .	111	52	24.4	17	2	4	..	40	18.7	14
Malerkotla . .	34	41	62.7	11	..	1	..	15	22.9	..
Bhatinda . .	39	26	34.7	1	2	2.7	2
TOTAL	184	119	33.6	29	2	5	..	57	16.1	16
Rajasthan													
"N.R."													
Travancore-Cochin													
Alleppey . .	148	176	61.8	5	4	9	..	53	18.6	10
Changanacherry . .	41	15	19.0	1	..	1	..	4	5.1	..
Ernakulam . .	70	85	63.1	2	2	4	..	17	12.6	3
Kottayam . .	50	47	48.9	1	..	6	6.2	..
Mattanchery . .	85	63	38.5	2	..	6	..	17	10.4	2
Nagercoil . .	94	32	17.7	5	1	1	..	14	7.7	4
Quilon . .	75	80	55.5	1	10	6.9	..
Trichur . .	76	65	44.5	3	12	8.2	..
Trivandrum City . .	218	150	35.8	4	..	2	..	13	3.1	1
TOTAL	857	713	43.2	22	8	24	..	146	8.9	20
Saurashtra													
Bhavnagar . .	157	110	36.4	6	5	3	..	40	13.2	8
Dhoraji . .	47	30	33.2	5	..	1	..	10	11.1	..
Gondal . .	41	18	22.8	4	1	12	15.2	..
Jamnagar . .	122	35	14.9	10	4	7	..	26	11.1	8
Junagadh . .	65	48	34.4	14	3	1	..	28	22.4	7
Morvi . .	43	21	25.3	2	2	1	..	6	7.3	2
Porbandar . .	64	26	21.1	13	3	1	..	25	20.3	7
Rajkot . .	167	75	23.3	12	8	4	..	48	14.9	24
Surendranagar†													
Veraval . .	46	9	10.2	4	..	1	..	5	5.7	..
TOTAL	752	372	25.7	70	26	19	..	200	13.8	56

ARREAR RETURNS

West Bengal

For w/e 8-9-56

Asansol†													
Baidyabati	33	4	6.2	3	4.6	1
Bally . .	66	4	3.1	2	1.6	..
Bankura . .	50	15	15.7	1	..	4	4.2	..
Bansberia†													
Baranagar . .	90	39	22.6	2	1	3	..	20	11.5	6
Basirhat . .	39	7	9.3	3	4.0	..
Berhampur . .	64	48	39.0	2	17	13.8	4
Bhadreswar . .	34	7	10.6	1	2	3.1	..
Bhatpara . .	143	39	14.2	1	13	2	5	1	45	16.5	17
Budge Budge . .	32	15	24.3	1	..	4	6.5	..
Burdwan . .	82	18	11.4	..	1	..	1	1	2	..	11	7.0	..
Calcutta . .	2,984	1,421	24.9	6	5	..	37	34	164	2	674	11.8	192
Chandpur . .	41	20	25.5	1	..	4	5.1	..
Cooch Behar . .													

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
ARREAR RETURNS—contd.													
West Bengal—contd.													
For w/e 8-9-56—contd													
Darjeeling†													
English Bazar . . .	36	48	69.5	2	1	..	6	8.6	..
Garden Reach . . .	124	16	6.6	..	1	..	9	14	5.9	2
Hallsabari . . .	41	1	1.2	2	2.5	..
Hoogly-Chinsurah . .	60	79	68.7	..	1	..	2	2	1	..	9	7.8	4
Howrah . . .	477	191	20.9	..	4	..	8	14	31	..	114	12.5	44
Jalpaiguri . . .	49	21	22.4	1	1	5	5.3	..
Kamarhati†													
Kanchrapara . . .	74	10	7.1	1	..	1	..	4	2.8	..
Krishnagar . . .	56	3	2.8	2	1.9	..
Midnapore . . .	45	51	59.2	1	2	1	1	..	16	18.4	..
Nabadwip . . .	70	44	32.7	2	10	..	1	1	21	15.7	4
Naihati . . .	62	9	7.6	1	1	5	4.2	1
North-Barrackpore . .	36	8	11.6	2	2	2.9	..
Panihati . . .	65	4	3.2	1	2	..	10	8.0	4
Santipur . . .	49	21	22.4	5	5.3	1
Serampore . . .	83	44	27.7	4	5	2	1	24	15.1	8
Siliguri . . .	44	19	22.6	1	..	4	4.8	..
South Dum Dum . . .	83	2	1.3
South Suburban . . .	124	53	22.3	1	2	3	..	11	4.6	6
Titagarh . . .	78	25	16.8	5	19	..	3	..	28	18.8	7
TOTAL . . .	5,314	2,286	22.4	15	12	..	113	68	225	6	1,071	10.5	301
Madhya Bharat													
For w/e 18-8-56													
Greater Gwalior . . .	273	194	36.9	2	1	16	3.0	5
Indore . . .	368	200	28.3	16	3	4	..	78	11.0	31
Ujjain . . .	156	45	15.0	10	1	33	11.0	14
Mandsaur . . .	41	2	2.5	1	..	1	..	2	2.5	1
Ratlam†													
TOTAL . . .	838	441	27.4	29	4	5	1	129	8.0	51
For w/e 11-8-56													
Greater Gwalior . . .	273	130	24.8	4	1	2	..	23	4.4	3
Indore . . .	368	102	14.4	14	4	8	1	90	12.7	29
Punjab													
For w/e 11-8-56													
Karnal . . .	72	42	34.1	4	3	3	..	16	12.8	6
Panipat . . .	64	32	26.0	4	9	6.3	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fever ; D. D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Informations.

REMARKS

The figures of births and deaths shown in this statement for week ending the 15th Sep. 1956, relate to 217 towns with an estimated population of 29,948 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 68% of the total number of towns representing 72% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 20,601 and 7,890 representing birth and death rates of 35.8 and 13.7 per thousand of population respectively.

(a) States (Part A and C):—The data here relate to 180 towns with an estimated population of 24,735 thousands. Information about Madhya Pradesh and West Bengal could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 71% of the total number of towns representing 74% of the total population is covered. The number

of births and deaths recorded in these towns were 17,907 and 6,787 representing birth rates and death rates of 37.6 and 14.3 per thousand of population respectively. The table at the end gives the position by States. No town recorded a high death rate of 50 or over per thousand of population.

(b) States (Part B):—The data here relate to 37 towns with an estimated population of 5,213 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 57% of the total number of towns representing 64% of the total population is covered. The number of births and deaths recorded in these towns were 2,696 and 1,003 representing birth and death rates of 26.9 and 10.0 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 15-9-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period.	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . . .	15.3	8.1	†	†	43.3	15.4
Andhra . . .	44.6	19.0	42.2	14.6	†	†
Bihar . . .	21.5	8.1	25.9	7.3	17.2	7.2
Bombay . . .	36.5	12.8	39.8	14.6	38.2	17.8
Delhi . . .	36.4	10.7	45.4	11.4	45.9	11.9
Madras . . .	42.2	18.1	45.3	17.0	†	†
Orissa . . .	41.9	23.9	49.1	19.3	42.7	19.3
Punjab (I) . .	46.0	12.3	48.9	12.0	43.5	12.1
Uttar Pradesh .	37.0	14.7	50.3	16.4	43.8	19.9
India* . . .	37.6	14.3	40.8	14.1	38.9	17.5

* 7 Part 'A' States and 2 Part 'C' States.

† Figures not available.

NEW DELHI-2 (INDIA);

The 8th October, 1956

K. MITRA,

for Registrar General, India.

